


Socket head cap screws, steel

ISO 4762 / DIN 912

(partially threaded)




d	M3		M4		M5		M6	
D	5,5		7		8,5		10	
s	2,5		3		4		5	
k	3		4		5		6	
b	18		20		22		24	
L quantity	100	1000+	100	1000+	100	1000+	100	1000+
(22)	18.40	14.20						
25	18.20	14.-						
30	20.75	15.10	12.20	8.80	11.-	8.10		
35	26.25	18.30	13.60	9.90	12.20	8.80	12.20	8.80
40	37.75	27.50	15.40	11.10	13.60	9.90	13.60	9.90
45	46.-	34.75	20.25	14.60	16.90	12.20	15.70	11.40
50	51.-	38.50	24.50	17.70	23.50	17.10	16.70	12.20
55			30.50	23.-	29.80	22.75	25.-	18.20
60			30.75	23.25	30.50	23.-	27.-	19.60
65			52.-	39.25	46.50	35.25	34.25	25.75
70			46.-	34.75	38.-	28.75	34.75	26.-
(75)			75.-	56.-	52.-	39.25	43.50	32.75
80			79.-	59.50	52.50	39.50	49.-	36.25
(85)							57.-	43.-
90			137.-	109.-	81.50	64.-	62.-	47.-
100			141.-	112.-	91.-	72.-	64.50	51.50
110					117.-	83.50	91.-	72.50
120							97.50	80.50
130							145.-	116.-
140							194.-	155.-
150							230.-	189.-

Socket head cap screws, steel

ISO 4762 / DIN 912

(partially threaded)




d	M8		M10		M12		(M14)	
D	13		16		18		21	
s	6		8		10		12	
k	8		10		12		14	
b	28		32		36		40	
L quantity	100	1000+	100	1000+	100	1000+	100	
40	18.30	13.40	L					
45	19.-	13.80	38.-	29.-			103.-	
50	22.50	15.70	39.25	30.-				
55	26.25	19.-	42.50	33.-	60.-	48.-		
60	26.75	19.40	46.50	35.75	60.50	49.50	129.-	
65	43.-	32.25	52.-	41.-	70.-	55.50	135.-	
70	43.50	33.25	52.-	41.-	72.50	57.50	138.-	
(75)	62.-	48.-	58.50	45.50	80.50	66.-	140.-	
80	58.50	43.-	57.-	44.50	82.50	69.-	146.-	
(85)	80.50	55.-	79.-	59.-	102.-	83.50		
90	69.-	51.-	76.50	56.50	86.-	72.-	169.-	
(95)			103.-	81.-				
100	74.50	58.50	93.50	71.-	90.-	76.-	171.-	
110	94.50	67.-	95.50	73.-	112.-	88.-	230.-	
120	107.-	80.-	111.-	87.50	130.-	102.-	249.-	
(125)	121.-	99.50						
130	134.-	105.-	131.-	103.-	152.-	125.-	306.-	
140	155.-	121.-	158.-	123.-	197.-	158.-	310.-	
150	233.-	194.-	225.-	184.-	237.-	195.-	435.-	
160	260.-	215.-	306.-	239.-	302.-	234.-	505.-	
170	314.-	258.-	386.-	294.-	380.-	290.-	730.-	
180	324.-	266.-	386.-	294.-	415.-	338.-	595.-	
190	366.-	296.-	405.-	316.-	425.-	350.-		
200	376.-	304.-	405.-	316.-	430.-	352.-	730.-	
(210)					515.-	425.-		
220	455.-	346.-	520.-	425.-	550.-	465.-		
(230)					620.-	510.-		
240	475.-	370.-	540.-	440.-	590.-	505.-		
(250)					770.-	665.-		
260	510.-	390.-	570.-	465.-	680.-	595.-		
(270)					775.-	670.-		
280			685.-	530.-	750.-	640.-		
300			735.-	590.-	815.-	710.-		

Socket head cap screws, steel

ISO 4762 / DIN 912

(partially threaded)




d	M 16		M 18	M 20		M 22	M 24	M 27
D	24		27	30		33	36	40
s	14		14	17		17	19	19
k	16		18	20		22	24	27
b	44		48	52		56	60	66
L quantity	100	1000	100	100	1000	100	100	100
65	133.-	109.-						
70	128.-	103.-	314.-					
(75)	144.-	116.-	334.-	204.-	167.-	740.-		
80	138.-	110.-	334.-	252.-	213.-	725.-		
(85)	217.-	163.-				905.-		
90	163.-	138.-	380.-	270.-	222.-	795.-	645.-	
100	180.-	153.-	410.-	280.-	229.-	795.-	680.-	1390.-
110	223.-	182.-	435.-	328.-	270.-	910.-	720.-	1450.-
120	235.-	193.-	495.-	400.-	316.-	910.-	790.-	1490.-
130	306.-	258.-	595.-	515.-	430.-	955.-	830.-	1550.-
140	290.-	244.-	645.-	545.-	445.-	960.-	900.-	1620.-
150	372.-	306.-	700.-	630.-	515.-	1050.-	1040.-	1690.-
160	378.-	310.-	710.-	640.-	525.-	1060.-	1070.-	1750.-
170	510.-	430.-		845.-	660.-		1230.-	2070.-
180	495.-	420.-	745.-	810.-	625.-	1140.-	1160.-	1890.-
190	595.-			995.-			1430.-	
200	590.-		845.-	985.-			1260.-	2030.-
(210)	715.-			1140.-			1690.-	
220	725.-			1080.-			1600.-	2220.-
(230)	895.-			1160.-			1760.-	
240	750.-			1120.-			1730.-	2370.-
(250)	915.-			1320.-			1930.-	
260	880.-			1360.-			1900.-	2580.-
(270)	955.-			1510.-			2190.-	
280	925.-			1410.-			2100.-	2780.-
(290)				1630.-				
300	1070.-			1550.-			2200.-	2970.-
320	1080.-			1640.-			2310.-	
340	1240.-			1750.-			2390.-	
(350)	1310.-							
360	1420.-			1830.-			2510.-	
(370)							2640.-	
380	1530.-			1950.-			2580.-	
400	1660.-			2110.-			2750.-	

Socket head cap screws, steel

ISO 4762 / DIN 912


(partially threaded)



d	M 30	M 36	M 42	
D	45	54	63	
s	22	27	32	
k	30	36	42	
b	72	84	96	
L quantity	100	100	100	
110	1470.-			
120	1500.-	2070.-		
130	1620.-	2150.-		
140	1690.-	2230.-	3900.-	
150	1780.-	2310.-		
160	1850.-	2380.-	3930.-	
170	2090.-	2940.-	4480.-	
180	1980.-	2800.-	4510.-	
190	2260.-			
200	2120.-	2970.-	4450.-	
(210)	2410.-			
220	2340.-	3420.-	4810.-	
(230)	2450.-	3570.-		
240	2500.-	3660.-	4850.-	
(250)	2680.-			
260	2730.-	4160.-	4990.-	
(270)	3010.-			
280	2950.-	4360.-	5280.-	
300	3190.-	4600.-	6490.-	
320	3350.-	4850.-	6500.-	
340	3580.-	5120.-		
(350)	3640.-			
360	3750.-	5380.-	6850.-	
380	3920.-	5760.-		
400	4160.-	6150.-		

Socket head cap screws, steel

ISO 4762 / DIN 912
(partially threaded)



Zinc plated


d	M3		M4		M5		M6		
D	5,5		7		8,5		10		
s	2,5		3		4		5		
k	3		4		5		6		
b	18		20		22		24		
L	bei/par	100	1000+	100	1000+	100	1000+	100	1000+
25		19.30	14.10						
30		21.75	16.-	12.80	9.30	12.10	8.90		
35		31.-	23.50	14.40	10.50	13.40	9.80	14.-	10.30
40		33.-	25.50	16.30	12.-	14.90	10.90	15.10	11.-
45		52.50	38.50	22.25	16.40	19.80	14.50	17.70	13.-
50		53.-	38.75	26.75	19.70	26.75	19.70	18.90	13.80
55				31.75	25.50	31.50	25.25	28.-	21.25
60				35.50	29.80	34.60	27.90	28.25	21.50
65				59.60	44.90	51.-	39.-	40.-	30.50
70				53.50	39.60	42.50	32.50	39.25	30.-
(75)						57.-	43.50	50.-	38.25
80				94.60	67.90	58.-	44.-	54.50	41.80
90				156.-	125.-	93.50	72.90	68.50	52.-
100						94.80	73.50	73.-	58.-
110						95.50	74.60	96.50	79.50
120								104.-	85.50
130								155.-	123.-

Socket head cap screws, steel

ISO 4762 / DIN 912

(partially threaded)


Zinc plated



d	(M18)	M20		(M22)	M24	(M27)	M30	M36
D	27	30		33	36	40	45	54
s	14	17		17	19	19	22	27
k	18	20		22	24	27	30	36
b	48	52		56	60	66	72	84
L quantity	100	100	1000	100	100	100	100	100
70	376.-							
80	400.-	290.-	246.-	835.-				
90	455.-	330.-	282.-	920.-	725.-			
100	495.-	352.-	290.-	935.-	765.-	1610.-		
110	525.-	400.-	332.-	1060.-	825.-	1680.-	1770.-	
120	585.-	445.-	360.-	1060.-	900.-	1740.-	1860.-	2530.-
130		575.-	505.-	1110.-	1180.-	1820.-	1960.-	
140		630.-	520.-	1120.-	1050.-	1900.-	2040.-	2750.-
150		720.-	595.-	1200.-	1110.-	1980.-	2160.-	2860.-
160		735.-	610.-		1210.-	2070.-	2250.-	2950.-
180		905.-	740.-		1280.-	2230.-	2410.-	
200		1130.-	870.-		1410.-	2400.-	2590.-	
220					1910.-		2840.-	
(230)		1430.-					2550.-	
240					2160.-			
260					2270.-		3490.-	
280					2500.-			
300					2620.-		4070.-	

Socket head cap screws, steel

ISO 4762 / DIN 912
(partially threaded)



Yellow zinc plated

d	M4		M5		M6		
D	7		8,5		10		
s	3		4		5		
k	4		5		6		
b	20		22		24		
L quantity	100	1000+	100	1000+	100	1000+	
30	14.60	10.40	17.50	14.-			
35	16.50	11.80	18.20	15.50	16.10	11.40	
40	18.20	12.90	18.80	16.30	17.50	12.40	
45	25.50	18.10	22.50	17.80	22.25	15.50	
50	29.25	21.50	29.25	21.50	26.-	19.40	
55	37.-	29.60	38.75	27.75	32.-	23.75	
60			34.50	25.50	33.-	24.50	
70			48.-	35.75	45.-	33.25	
80					48.50	36.-	

